

**Table 1.A. - Preliminary Cod Landings by Stock Area**

	JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		2004/2005*		2003/2004*		Fishing Year* Landings
									May04-Sep04 as a % of Target TAC	Target TAC <sup>+</sup>	May03-Sep03 as a % of Target TAC	Target TAC	
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent		1000 Lbs		1000 Lbs	1000 Lbs
<b>GULF OF MAINE</b>	<b>1,443</b>	<b>79%</b>	<b>654</b>	<b>67%</b>	<b>552</b>	<b>54%</b>	<b>3,745</b>	<b>60%</b>	<b>35%</b>	<b>10,692</b>	<b>46%</b>	<b>5,899</b>	
OTTER TRAWL	759	42%	212	22%	258	25%	1,781	28%	17%		25%		
GILLNET	668	37%	436	45%	290	28%	1,923	31%	18%		20%		
HOOK	6	0%	3	0%	2	0%	15	0%	0%		0%		
OTHER GEARS	11	1%	3	0%	3	0%	27	0%	0%		1%		
<b>GEORGES BANK</b>	<b>384</b>	<b>21%</b>	<b>323</b>	<b>33%</b>	<b>465</b>	<b>46%</b>	<b>2,503</b>	<b>40%</b>	<b>38%</b>	<b>6,501</b>	<b>90%</b>	<b>5,694</b>	
OTTER TRAWL	101	6%	148	15%	266	26%	1,592	25%	24%		68%		
GILLNET	185	10%	100	10%	103	10%	538	9%	8%		18%		
HOOK	18	1%	43	4%	70	7%	135	2%	2%		2%		
OTHER GEARS	80	4%	32	3%	26	3%	238	4%	4%		3%		
<b>ALL AREAS</b>	<b>1,826</b>	<b>100%</b>	<b>977</b>	<b>100%</b>	<b>1,017</b>	<b>100%</b>	<b>6,248</b>	<b>100%</b>	<b>36%</b>	<b>17,194</b>	<b>68%</b>	<b>11,593</b>	
OTTER TRAWL	859	47%	360	37%	524	52%	3,372	54%	20%		46%		
GILLNET	852	47%	536	55%	392	39%	2,460	39%	14%		19%		
HOOK	24	1%	47	5%	71	7%	150	2%	1%		1%		
OTHER GEARS	91	5%	35	4%	29	3%	266	4%	2%		2%		
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2004/2005	1,826		977		1,017		6,248						
Fishing Year 2003/2004	1,893		674		1,055		7,848						18,614
Fishing Year 2002/2003	2,456		1,810		1,333		10,573						25,327
Fishing Year 2001/2002	3,165		2,335		2,006		14,815						35,510
Fishing Year 2000/2001	2,258		1,828		1,360		11,819						27,945
Fishing Year 1999/2000	1,610		1,609		1,032		10,478						21,323
Fishing Year 1998/1999	1,620		1,356		1,486		11,118						23,702

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY04 is 8,706 thousand lbs (3,949 mt).

**Table 1.B. - Preliminary Cod Landings by Major Ports and States, May 2004 - Sep 2004**

PORT/ STATE	MAY 04 - SEP 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	834	717	86%	117	14%	473	57%	360	43%	1	0%	0	0%
Gloucester, MA	1,685	1,277	76%	408	24%	979	58%	687	41%	13	1%	5	0%
Boston, MA	113	36	32%	77	68%	112	99%	0	0%	0	0%	1	1%
New Bedford, MA	873	20	2%	853	98%	873	100%	0	0%	0	0%	0	0%
Point Judith, RI	14	4	27%	11	73%	14	99%	0	0%	0	0%	0	0%
MAINE	1,198	1,080	90%	118	10%	615	51%	580	48%	1	0%	1	0%
NEW HAMPSHIRE	977	973	100%	4	0%	315	32%	657	67%	0	0%	5	0%
MASSACHUSETTS	4,026	1,689	42%	2,337	58%	2,402	60%	1,217	30%	149	4%	258	6%
RHODE ISLAND	45	4	8%	42	92%	40	87%	6	13%	0	0%	0	0%
CONNECTICUT	1	0	0%	1	0%	0	0%	0	0%	0	0%	1	0%
NEW YORK	1	0	0%	1	97%	0	0%	0	0%	0	0%	1	92%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>6,248</b>	<b>3,745</b>	<b>60%</b>	<b>2,503</b>	<b>40%</b>	<b>3,372</b>	<b>54%</b>	<b>2,460</b>	<b>39%</b>	<b>150</b>	<b>2%</b>	<b>266</b>	<b>4%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Cod stock areas: Gulf of Maine: 464-465, 467, 511-515  
 Georges Bank: 521-637

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 2.A. - Preliminary Haddock Landings by Stock Area**

	JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		2004/2005*		2003/2004*		Fishing Year* Landings
									May04-Sep04 as a % of Target TAC	Target TAC <sup>+</sup>	May03-Sep03 as a % of Target TAC	Target TAC	
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent		1000 Lbs		1000 Lbs	
<b>GULF OF MAINE</b>	<b>232</b>	<b>16%</b>	<b>123</b>	<b>12%</b>	<b>163</b>	<b>15%</b>	<b>851</b>	<b>12%</b>					
OTTER TRAWL	216	15%	113	11%	157	15%	776	11%					
GILLNET	13	1%	5	1%	4	0%	58	1%					
HOOK	3	0%	4	0%	2	0%	14	0%					
OTHER GEARS	0	0%	1	0%	0	0%	3	0%					
<b>GEORGES BANK</b>	<b>1,251</b>	<b>84%</b>	<b>888</b>	<b>88%</b>	<b>914</b>	<b>85%</b>	<b>6,227</b>	<b>88%</b>	<b>19%</b>	<b>32,970</b>	<b>18%</b>	<b>25,586</b>	
OTTER TRAWL	1,174	79%	735	73%	676	63%	5,736	81%	17%		17%		
GILLNET	14	1%	6	1%	6	1%	46	1%	0%		0%		
HOOK	63	4%	94	9%	189	18%	347	5%	1%		0%		
OTHER GEARS	1	0%	53	5%	43	4%	98	1%	0%		0%		
<b>SNE/ MID-ATLANTIC</b>	<b>0</b>	<b>0%</b>	<b>2</b>	<b>0%</b>	<b>2</b>	<b>0%</b>	<b>4</b>	<b>0%</b>					
OTTER TRAWL	0	0%	0	0%	0	0%	0	0%					
GILLNET	0	0%	0	0%	0	0%	0	0%					
HOOK	0	0%	2	0%	2	0%	4	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
<b>ALL AREAS</b>	<b>1,484</b>	<b>100%</b>	<b>1,013</b>	<b>100%</b>	<b>1,079</b>	<b>100%</b>	<b>7,082</b>	<b>100%</b>					
OTTER TRAWL	1,390	94%	849	84%	833	77%	6,512	92%					
GILLNET	27	2%	11	1%	11	1%	105	1%					
HOOK	66	4%	100	10%	193	18%	364	5%					
OTHER GEARS	1	0%	54	5%	43	4%	101	1%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2004/2005	1,484		1,013		1,079		7,082						
Fishing Year 2003/2004	721		448		448		5,093						15,281
Fishing Year 2002/2003	1,612		960		960		6,916						16,198
Fishing Year 2001/2002	822		1,004		1,004		4,390						14,341
Fishing Year 2000/2001	504		683		683		3,238						10,501
Fishing Year 1999/2000	800		622		622		3,427						8,999
Fishing Year 1998/1999	626		561		561		2,543						6,009

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY04 is 54,796 thousand lbs (24,855 mt).

**Table 2.B. - Preliminary Haddock Landings by Major Ports and States, May 04 - Sep 04**

PORT/ STATE	MAY 04 - SEP 04	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	835	156	19%	679	81%	0	0%	828	99%	5	1%	2	0%	0	0%
Gloucester, MA	1,352	338	25%	1,014	75%	0	0%	1,207	89%	47	3%	7	1%	91	7%
Boston, MA	90	14	15%	76	85%	0	0%	89	99%	0	0%	0	0%	1	0%
New Bedford, MA	3,771	46	1%	3,725	99%	0	0%	3,767	100%	0	0%	0	0%	4	0%
Point Judith, RI	371	94	25%	277	75%	0	0%	371	100%	0	0%	0	0%	0	0%
MAINE	866	187	22%	679	78%	0	0%	855	99%	9	1%	2	0%	0	0%
NEW HAMPSHIRE	75	75	100%	0	0%	0	0%	65	86%	9	12%	1	2%	0	0%
MASSACHUSETTS	5,728	494	9%	5,230	91%	4	0%	5,181	90%	86	2%	361	6%	100	2%
RHODE ISLAND	412	94	23%	318	77%	0	0%	412	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>7,082</b>	<b>851</b>	<b>12%</b>	<b>6,227</b>	<b>88%</b>	<b>4</b>	<b>0%</b>	<b>6,512</b>	<b>92%</b>	<b>105</b>	<b>1%</b>	<b>364</b>	<b>5%</b>	<b>101</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Haddock stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 521-526, 533-534, 537-539, 541-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 3.A. - Preliminary Yellowtail Landings by Stock Area**

	JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		2004/2005*		2003/2004*		Fishing Year* Landings
									May04-Sep04 as a % of Target TAC	Target TAC <sup>+</sup>	May03-Sep03 as a % of Target TAC	Target TAC	
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent		1000 Lbs		1000 Lbs	1000 Lbs
<b>GULF OF MAINE</b>	<b>7</b>	<b>0%</b>	<b>9</b>	<b>0%</b>	<b>5</b>	<b>1%</b>	<b>109</b>	<b>1%</b>					
OTTER TRAWL	7	0%	9	0%	5	1%	108	1%					
GILLNET	0	0%	0	0%	0	0%	1	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	0	0%	0	0%	0	0%	0	0%					
<b>CAPE COD</b>	<b>85</b>	<b>2%</b>	<b>98</b>	<b>3%</b>	<b>122</b>	<b>15%</b>	<b>556</b>	<b>5%</b>					
OTTER TRAWL	80	2%	96	3%	122	15%	524	4%					
GILLNET	4	0%	2	0%	0	0%	30	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	1	0%	0	0%	0	0%	2	0%					
<b>GEORGES BANK</b>	<b>3,331</b>	<b>96%</b>	<b>2,699</b>	<b>94%</b>	<b>639</b>	<b>81%</b>	<b>11,048</b>	<b>93%</b>	<b>84%</b>	<b>13,228</b>	<b>13%</b>	<b>17,288</b>	
OTTER TRAWL	3,325	96%	2,698	94%	639	81%	11,042	93%	83%		13%		
GILLNET	0	0%	0	0%	0	0%	0	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	5	0%	1	0%	0	0%	6	0%	0%		0%		
<b>SNE/ MID-ATLANTIC</b>	<b>44</b>	<b>1%</b>	<b>59</b>	<b>2%</b>	<b>22</b>	<b>3%</b>	<b>160</b>	<b>1%</b>	<b>10%</b>	<b>1,559</b>	<b>32%</b>	<b>393</b>	
OTTER TRAWL	44	0	59	0	22	0	159	1%	10%		31%		
GILLNET	0	0%	0	0%	0	0%	1	0%	0%		0%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	0%		0%		
<b>ALL AREAS</b>	<b>3,467</b>	<b>100%</b>	<b>2,865</b>	<b>100%</b>	<b>789</b>	<b>100%</b>	<b>11,872</b>	<b>100%</b>					
OTTER TRAWL	3,457	100%	2,862	100%	788	100%	11,834	100%					
GILLNET	4	0%	2	0%	0	0%	31	0%					
HOOK	0	0%	0	0%	0	0%	0	0%					
OTHER GEARS	6	0%	1	0%	0	0%	7	0%					
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2004/2005	3,467		2,865		789		11,872						10,396
Fishing Year 2003/2004	666		392		291		3,563						11,774
Fishing Year 2002/2003	577		485		681		4,258						14,604
Fishing Year 2001/2002	796		853		583		6,097						15,990
Fishing Year 2000/2001	864		547		535		5,002						11,601
Fishing Year 1999/2000	402		281		225		2,812						9,571
Fishing Year 1998/1999	430		410		598		2,566						

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
Cape Cod: 514, 521  
Georges Bank: 522, 525, 542-543, 551-552, 561-562  
Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

+ US portion of the Georges Bank target TAC. Total GB TAC for FY04 is 25,823 thousand lbs (11,713 mt).

**Table 3.B. - Preliminary Yellowtail Landings by Major Ports and States, May 04 - Sep 04**

PORT/ STATE	MAY 04 - SEP 04	STOCK AREAS								GEAR TYPES							
		GULF OF MAINE		CAPE COD		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	25	2	7%	8	33%	15	60%	0	0%	25	99%	0	0%	0	0%	0	0%
Gloucester, MA	282	4	2%	136	48%	142	50%	0	0%	259	92%	23	8%	0	0%	0	0%
Boston, MA	304	2	1%	19	6%	282	93%	0	0%	304	100%	0	0%	0	0%	0	0%
New Bedford, MA	9,976	0	0%	81	1%	9,815	98%	80	1%	9,975	100%	0	0%	0	0%	1	0%
Point Judith, RI	387	72	19%	0	0%	296	76%	19	5%	382	99%	0	0%	0	0%	5	1%
MAINE	25	2	8%	8	32%	15	60%	0	0%	25	99%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	34	26	78%	7	22%	0	0%	0	0%	34	99%	0	0%	0	0%	0	0%
MASSACHUSETTS	10,866	9	0%	502	5%	10,273	95%	83	1%	10,834	100%	30	0%	0	0%	2	0%
RHODE ISLAND	916	72	8%	37	4%	760	83%	47	5%	910	99%	1	0%	0	0%	5	1%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	28	0	0%	0	0%	0	0%	28	100%	28	100%	0	0%	0	0%	0	0%
NEW JERSEY	3	0	0%	1	36%	0	0%	2	64%	3	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>11,872</b>	<b>109</b>	<b>1%</b>	<b>556</b>	<b>5%</b>	<b>11,048</b>	<b>93%</b>	<b>160</b>	<b>1%</b>	<b>11,834</b>	<b>100%</b>	<b>31</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>7</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Yellowtail stock areas: Gulf of Maine: 464-465, 467, 511-513, 515  
 Cape Cod: 514, 521  
 Georges Bank: 522, 525, 542-543, 551-552, 561-562  
 Southern New England / Mid-Atlantic: 526, 533-534, 537-539, 541, 611-639

- Landings in live weight.
- Gear data are based on vessel trip reports.

**Table 4.A. - Preliminary Prorated White Hake Landings**

	JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
<b>SNE/ NORTH</b>	<b>791</b>	<b>98%</b>	<b>839</b>	<b>99%</b>	<b>619</b>	<b>99%</b>	<b>3,354</b>	<b>98%</b>	
OTTER TRAWL	290	36%	307	36%	280	45%	1,563	46%	
GILLNET	494	61%	530	62%	327	53%	1,769	52%	
HOOK	4	1%	2	0%	12	2%	18	1%	
OTHER GEARS	2	0%	0	0%	0	0%	4	0%	
<b>MID-ATLANTIC</b>	<b>17</b>	<b>2%</b>	<b>9</b>	<b>1%</b>	<b>3</b>	<b>1%</b>	<b>75</b>	<b>2%</b>	
OTTER TRAWL	1	0%	1	0%	0	0%	47	1%	
GILLNET	0	0%	0	0%	1	0%	1	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	16	2%	7	1%	2	0%	26	1%	
<b>ALL AREAS</b>	<b>808</b>	<b>100%</b>	<b>848</b>	<b>100%</b>	<b>622</b>	<b>100%</b>	<b>3,429</b>	<b>100%</b>	
OTTER TRAWL	291	36%	308	36%	280	45%	1,610	47%	
GILLNET	494	61%	530	63%	327	53%	1,770	52%	
HOOK	4	1%	2	0%	12	2%	19	1%	
OTHER GEARS	18	2%	7	1%	2	0%	30	1%	
<b>LANDINGS - ALL AREAS</b>									
Fishing Year 2004/2005	808		848		622		3,429		
Fishing Year 2003/2004	592		660		723		3,831		8,484
Fishing Year 2002/2003	685		706		666		2,941		7,686
Fishing Year 2001/2002	972		822		711		3,757		8,344
Fishing Year 2000/2001	818		782		566		3,465		6,932
Fishing Year 1999/2000	822		722		633		3,333		5,928
Fishing Year 1998/1999	702		674		709		2,874		5,655

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake Stock Areas: Southern New England/ North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.  
\* Fishing Year is May 1 through April 30.

**Table 4.B. - Preliminary White Hake Landings by Major Ports and States, May 04 - Sep 04**

PORT/ STATE	MAY 04 - SEP 04	STOCK AREAS				GEAR TYPES							
		SOUTHERN NEW ENGLAND		MID-ATLANTIC		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	1,997	1,997	100%	0	0%	1,010	51%	979	49%	8	0%	0	0%
Gloucester, MA	637	637	100%	0	0%	170	27%	464	73%	3	0%	0	0%
Boston, MA	201	201	100%	0	0%	201	100%	0	0%	0	0%	0	0%
New Bedford, MA	49	49	100%	0	0%	47	97%	2	3%	0	0%	0	0%
Point Judith, RI	18	18	100%	0	0%	18	100%	0	0%	0	0%	0	0%
MAINE	2,196	2,196	100%	0	0%	1,093	50%	1,095	50%	8	0%	0	0%
NEW HAMPSHIRE	203	202	99%	1	1%	10	5%	193	95%	0	0%	0	0%
MASSACHUSETTS	932	932	100%	0	0%	435	47%	482	52%	11	1%	4	0%
RHODE ISLAND	24	24	100%	0	0%	24	100%	0	0%	0	0%	0	0%
CONNECTICUT	6	0	0%	6	100%	0	0%	0	0%	0	0%	6	100%
NEW YORK	66	0	0%	66	100%	46	70%	0	0%	0	0%	20	30%
NEW JERSEY	1	0	0%	1	100%	1	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>3,429</b>	<b>3,354</b>	<b>98%</b>	<b>75</b>	<b>2%</b>	<b>1,610</b>	<b>47%</b>	<b>1,770</b>	<b>52%</b>	<b>19</b>	<b>1%</b>	<b>30</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

White Hake stock areas: Southern New England / North: 464-465, 467, 500-562  
Mid-Atlantic: 600-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.



**Table 5.A. - Preliminary Prorated American Plaice Landings**

	JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
<b>GULF OF MAINE/ GB</b>	<b>841</b>	<b>100%</b>	<b>708</b>	<b>100%</b>	<b>743</b>	<b>100%</b>	<b>3,451</b>	<b>100%</b>	
OTTER TRAWL	838	100%	703	99%	743	100%	3,435	99%	
GILLNET	3	0%	1	0%	0	0%	9	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	4	1%	0	0%	7	0%	
<b>SNE / MID-ATLANTIC</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>7</b>	<b>0%</b>	
OTTER TRAWL	0	0%	1	0%	0	0%	7	0%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>ALL AREAS</b>	<b>842</b>	<b>100%</b>	<b>709</b>	<b>100%</b>	<b>743</b>	<b>100%</b>	<b>3,458</b>	<b>100%</b>	
OTTER TRAWL	838	100%	704	99%	743	100%	3,442	100%	
GILLNET	3	0%	1	0%	0	0%	9	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	4	1%	0	0%	7	0%	
<b>LANDINGS - ALL AREAS</b>									
Fishing Year 2004/2005	842		709		743		3,458		
Fishing Year 2003/2004	463		363		542		2,413		4,545
Fishing Year 2002/2003	757		682		710		3,285		6,236
Fishing Year 2001/2002	1,226		798		801		5,216		9,978
Fishing Year 2000/2001	1,311		975		757		5,145		9,949
Fishing Year 1999/2000	740		580		511		3,732		7,003
Fishing Year 1998/1999	722		751		748		4,616		7,787

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 5.B. - Preliminary American Plaice Landings by Major Ports and States, May 04 - Sep 04**

PORT/ STATE	MAY 04 - SEP 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	598	596	100%	1	0%	597	100%	1	0%	0	0%	0	0%
Gloucester, MA	286	285	100%	1	0%	282	98%	4	2%	0	0%	0	0%
Boston, MA	125	125	100%	0	0%	125	100%	0	0%	0	0%	0	0%
New Bedford, MA	2,081	2,081	100%	1	0%	2,077	100%	0	0%	0	0%	4	0%
Point Judith, RI	38	38	100%	0	0%	38	100%	0	0%	0	0%	0	0%
MAINE	721	720	100%	1	0%	720	100%	1	0%	0	0%	0	0%
NEW HAMPSHIRE	38	38	100%	0	0%	34	92%	3	8%	0	0%	0	0%
MASSACHUSETTS	2,641	2,639	100%	2	0%	2,629	100%	5	0%	0	0%	6	0%
RHODE ISLAND	55	55	100%	0	0%	55	100%	0	0%	0	0%	0	0%
CONNECTICUT	2	0	0%	2	100%	2	100%	0	0%	0	0%	0	0%
NEW YORK	1	0	0%	1	0%	0	0%	0	0%	0	0%	0	0%
NEW JERSEY	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>3,458</b>	<b>3,451</b>	<b>100%</b>	<b>7</b>	<b>0%</b>	<b>3,442</b>	<b>100%</b>	<b>9</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>7</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

American Plaice stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.

**Table 6.A. - Preliminary Prorated Winter Flounder Landings**

	JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
<b>GULF OF MAINE</b>	<b>81</b>	<b>9%</b>	<b>109</b>	<b>12%</b>	<b>148</b>	<b>15%</b>	<b>557</b>	<b>11%</b>	
OTTER TRAWL	59	6%	96	10%	135	14%	482	9%	
GILLNET	22	2%	13	1%	13	1%	74	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>GEORGES BANK</b>	<b>684</b>	<b>74%</b>	<b>623</b>	<b>68%</b>	<b>495</b>	<b>51%</b>	<b>3,321</b>	<b>64%</b>	
OTTER TRAWL	684	74%	623	68%	495	51%	3,321	64%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>SNE/ MID-ATLANTIC</b>	<b>154</b>	<b>17%</b>	<b>185</b>	<b>20%</b>	<b>336</b>	<b>34%</b>	<b>1,287</b>	<b>25%</b>	
OTTER TRAWL	152	17%	181	20%	334	34%	1,235	24%	
GILLNET	1	0%	3	0%	2	0%	24	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	0	0%	0	0%	27	1%	
<b>ALL AREAS</b>	<b>919</b>	<b>100%</b>	<b>918</b>	<b>100%</b>	<b>979</b>	<b>100%</b>	<b>5,165</b>	<b>100%</b>	
OTTER TRAWL	895	97%	901	98%	964	98%	5,039	98%	
GILLNET	23	3%	17	2%	15	2%	98	2%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	1	0%	0	0%	0	0%	27	1%	
<b>LANDINGS - ALL AREAS</b>									
Fishing Year 2004/2005	919		918		979		5,165		
Fishing Year 2003/2004	1,947		884		945		7,359		12,011
Fishing Year 2002/2003	1,261		861		1,306		6,902		11,941
Fishing Year 2001/2002	1,444		1,574		1,437		8,036		15,383
Fishing Year 2000/2001	1,031		1,621		1,466		7,078		13,796
Fishing Year 1999/2000	956		1,186		1,139		5,508		10,366
Fishing Year 1998/1999	1,368		1,387		1,223		6,533		11,283

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder Stock Areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England/ Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 6.B. - Preliminary Winter Flounder Landings by Major Ports and States, May 04 - Sep 04**

PORT/ STATE	MAY 04 - SEP 04	STOCK AREAS						GEAR TYPES							
		GULF OF MAINE		GEORGES BANK		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	22	5	23%	12	55%	5	23%	22	100%	0	0%	0	0%	0	0%
Gloucester, MA	265	148	56%	101	38%	16	6%	211	80%	53	20%	0	0%	0	0%
Boston, MA	46	6	14%	14	29%	26	57%	46	100%	0	0%	0	0%	0	0%
New Bedford, MA	3,391	7	0%	3,012	89%	372	11%	3,391	100%	0	0%	0	0%	0	0%
Point Judith, RI	345	9	2%	76	22%	260	75%	344	100%	0	0%	0	0%	0	0%
MAINE	22	5	23%	12	54%	5	23%	22	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	11	11	99%	0	0%	0	0%	9	84%	2	16%	0	0%	0	0%
MASSACHUSETTS	4,187	532	13%	3,179	76%	476	11%	4,069	97%	92	2%	0	0%	26	1%
RHODE ISLAND	438	9	2%	130	30%	299	68%	433	99%	5	1%	0	0%	0	0%
CONNECTICUT	86	0	0%	0	0%	86	100%	86	100%	0	0%	0	0%	0	0%
NEW YORK	161	0	0%	0	0%	161	100%	160	100%	0	0%	0	0%	0	0%
NEW JERSEY	259	0	0%	0	0%	259	100%	259	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>5,165</b>	<b>557</b>	<b>11%</b>	<b>3,321</b>	<b>64%</b>	<b>1,287</b>	<b>25%</b>	<b>5,039</b>	<b>98%</b>	<b>98</b>	<b>2%</b>	<b>0</b>	<b>0%</b>	<b>27</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Winter Flounder stock areas: Gulf of Maine: 464-465, 467, 511-515

Georges Bank: 522, 525, 542-543, 551-552, 561-562

Southern New England / Mid-Atlantic: 521, 526, 533-534, 537-539, 541, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 7.A. - Preliminary Prorated Witch Flounder Landings**

	JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
<b>GULF OF MAINE/ GB</b>	<b>727</b>	<b>98%</b>	<b>549</b>	<b>94%</b>	<b>651</b>	<b>99%</b>	<b>2,935</b>	<b>98%</b>	
OTTER TRAWL	708	96%	546	94%	650	99%	2,886	96%	
GILLNET	9	1%	3	0%	1	0%	33	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	9	1%	1	0%	0	0%	16	1%	
<b>SNE/ MID-ATLANTIC</b>	<b>13</b>	<b>2%</b>	<b>34</b>	<b>6%</b>	<b>5</b>	<b>1%</b>	<b>70</b>	<b>2%</b>	
OTTER TRAWL	13	2%	34	6%	5	1%	70	2%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>ALL AREAS</b>	<b>739</b>	<b>100%</b>	<b>583</b>	<b>100%</b>	<b>656</b>	<b>100%</b>	<b>3,005</b>	<b>100%</b>	
OTTER TRAWL	721	97%	580	99%	655	100%	2,956	98%	
GILLNET	9	1%	3	0%	1	0%	33	1%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	9	1%	1	0%	0	0%	16	1%	
<b>LANDINGS - ALL AREAS</b>									
Fishing Year 2004/2005	739		583		656		3,005		
Fishing Year 2003/2004	993		446		602		3,436		6,758
Fishing Year 2002/2003	942		684		561		3,256		6,168
Fishing Year 2001/2002	711		574		531		3,222		7,246
Fishing Year 2000/2001	567		527		387		2,624		5,941
Fishing Year 1999/2000	468		452		258		2,383		4,896
Fishing Year 1998/1999	362		337		278		2,035		4,048

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 7.B. - Preliminary Witch Flounder Landings by Major Ports and States, May 04 - Sep 04**

PORT/ STATE	MAY 04 - SEP 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	616	610	99%	6	1%	615	100%	0	0%	0	0%	0	0%
Gloucester, MA	609	606	100%	3	0%	582	96%	27	4%	0	0%	0	0%
Boston, MA	169	169	100%	0	0%	169	100%	0	0%	0	0%	0	0%
New Bedford, MA	663	660	99%	4	1%	663	100%	0	0%	0	0%	1	0%
Point Judith, RI	52	47	91%	5	9%	52	100%	0	0%	0	0%	0	0%
MAINE	802	796	99%	6	1%	802	100%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	108	108	100%	0	0%	106	98%	2	2%	0	0%	0	0%
MASSACHUSETTS	1,962	1,954	100%	8	0%	1,915	98%	30	2%	0	0%	16	1%
RHODE ISLAND	80	76	94%	5	6%	80	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	2	0	0%	2	100%	2	100%	0	0%	0	0%	0	0%
NEW JERSEY	50	0	0%	50	100%	50	100%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>3,005</b>	<b>2,935</b>	<b>98%</b>	<b>70</b>	<b>2%</b>	<b>2,956</b>	<b>98%</b>	<b>33</b>	<b>1%</b>	<b>0</b>	<b>0%</b>	<b>16</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Witch Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 467, 511-526, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 8.A. - Preliminary Prorated Windowpane Flounder Landings**

	JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
<b>GULF OF MAINE/ GB</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>2</b>	<b>29%</b>	<b>5</b>	<b>12%</b>	
OTTER TRAWL	0	0%	0	0%	2	29%	5	12%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>SNE/ MID-ATLANTIC</b>	<b>9</b>	<b>96%</b>	<b>5</b>	<b>94%</b>	<b>5</b>	<b>71%</b>	<b>34</b>	<b>88%</b>	
OTTER TRAWL	9	96%	5	94%	5	71%	33	85%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	1	0%	
<b>ALL AREAS</b>	<b>9</b>	<b>100%</b>	<b>5</b>	<b>100%</b>	<b>7</b>	<b>100%</b>	<b>38</b>	<b>100%</b>	
OTTER TRAWL	9	100%	5	100%	7	100%	37	97%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	1	0%	
<b>LANDINGS - ALL AREAS</b>									
Fishing Year 2004/2005	9		5		7		38		
Fishing Year 2003/2004	4		1		2		26		137
Fishing Year 2002/2003	3		2		2		33		135
Fishing Year 2001/2002	9		15		15		58		261
Fishing Year 2000/2001	12		7		4		105		431
Fishing Year 1999/2000	17		12		32		90		600
Fishing Year 1998/1999	107		52		44		289		613

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder Stock Areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.  
\* Fishing Year is May 1 through April 30.

**Table 8.B. - Preliminary Windowpane Flounder Landings by Major Ports and States, May 04 - Sep 04**

PORT/ STATE	MAY 04 - SEP 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	3	3	94%	0	0%	3	100%	0	0%	0	0%	0	0%
Point Judith, RI	2	1	0%	1	0%	2	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	4	3	81%	1	0%	3	84%	0	0%	0	0%	1	0%
RHODE ISLAND	2	1	53%	1	0%	2	100%	0	0%	0	0%	0	0%
CONNECTICUT	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW YORK	12	0	0%	12	100%	12	98%	0	0%	0	0%	0	0%
NEW JERSEY	20	0	0%	20	100%	19	99%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>38</b>	<b>5</b>	<b>12%</b>	<b>34</b>	<b>88%</b>	<b>37</b>	<b>97%</b>	<b>0</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>1</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Windowpane Flounder stock areas: Gulf of Maine/ Georges Bank: 464-465, 511-515, 521-522, 525, 542-543, 551-552, 561-562  
Southern New England/ Mid-Atlantic: 526, 533-534, 537-539, 611-639

2. Landings in live weight.  
3. Gear data are based on vessel trip reports.



Table 9 - Preliminary Multispecies Landings\*\*

		JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		2004/2005*		2003/2004*		Fishing Year* Landings
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	May04-Sep04 as a % of Target TAC	Target TAC 1000 Lbs	May03-Sep03 as a % of Target TAC	Target TAC 1000 Lbs	
ATLANTIC POLLOCK	2004/2005	892	21%	819	21%	813	21%	4,230	22%	5%				
	2003/2004	614	13%	437	15%	617	17%	3,109	15%			5%		
	2002/2003	590	14%	561	16%	488	13%	2,590	13%					
	2001/ 2002	824	16%	849	18%	646	15%	3,690	15%					
	2000/ 2001	1,003	21%	746	16%	534	14%	3,866	17%					
REDFISH	2004/2005	54	1%	70	2%	103	3%	297	2%	0%				
	2003/2004	49	1%	46	2%	215	6%	435	2%			1%		
	2002/2003	31	1%	37	1%	49	1%	240	1%					
	2001/ 2002	53	1%	58	1%	68	2%	358	1%					
	2000/ 2001	50	1%	56	1%	61	2%	334	1%					
WHITE HAKE	2004/2005	808	19%	848	21%	622	16%	3,429	17%	4%				
	2003/2004	592	13%	660	23%	723	20%	3,831	19%			6%		
	2002/2003	685	16%	706	20%	666	18%	2,941	15%					
	2001/ 2002	972	19%	822	18%	711	17%	3,757	15%					
	2000/ 2001	818	17%	782	17%	566	15%	3,465	15%					
AMERICAN PLAICE	2004/2005	842	20%	709	18%	743	19%	3,458	18%	4%				
	2003/2004	463	10%	363	13%	542	15%	2,413	12%			4%		
	2002/2003	757	18%	682	19%	710	19%	3,285	17%					
	2001/ 2002	1,226	23%	798	17%	801	19%	5,216	21%					
	2000/ 2001	1,311	27%	975	21%	757	20%	5,145	23%					
WINTER FLOUNDER	2004/2005	919	22%	918	23%	979	25%	5,165	26%	7%				
	2003/2004	1,947	42%	884	31%	945	26%	7,359	36%			12%		
	2002/2003	1,261	30%	861	24%	1,306	35%	6,902	36%					
	2001/ 2002	1,444	28%	1,574	34%	1,437	34%	8,036	33%					
	2000/ 2001	1,031	22%	1,621	34%	1,466	39%	7,078	31%					
WITCH FLOUNDER	2004/2005	739	17%	583	15%	656	17%	3,005	15%	4%				
	2003/2004	993	21%	446	16%	602	17%	3,436	17%			6%		
	2002/2003	942	22%	684	19%	561	15%	3,256	17%					
	2001/ 2002	711	14%	574	12%	531	13%	3,222	13%					
	2000/ 2001	567	12%	527	11%	387	10%	2,624	12%					
WINDOWPANE FLDR	2004/2005	9	0%	5	0%	7	0%	38	0%	0%				
	2003/2004	4	0%	1	0%	2	0%	26	0%			0%		
	2002/2003	3	0%	2	0%	2	0%	33	0%					
	2001/ 2002	9	0%	15	0%	15	0%	58	0%					
	2000/ 2001	12	0%	7	0%	4	0%	105	0%					
ALL 7 SPECIES - TOTAL	2004/ 2005	4,264	100%	3,950	100%	3,924	100%	19,622	100%	26%	76,917			
	2003/ 2004	4,662	100%	2,838	100%	3,648	100%	20,609	100%			31%	61,329	42,322
	2002/ 2003	4,269	100%	3,532	100%	3,782	100%	19,247	100%					41,057
	2001/ 2002	5,240	100%	4,690	100%	4,208	100%	24,337	100%					52,175
	2000/ 2001	4,792	100%	4,714	100%	3,775	100%	22,617	100%					46,273

1. Landings in live weight.

2. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

\*\* For the 7 species under the Multispecies FMP other than cod, haddock and yellowtail flounder.

**Table 10.A. - Preliminary Silver Hake Landings by Stock Area**

	JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
<b>GULF OF MAINE</b>	<b>126</b>	<b>8%</b>	<b>494</b>	<b>26%</b>	<b>759</b>	<b>42%</b>	<b>1,456</b>	<b>17%</b>	
OTTER TRAWL	123	7%	486	26%	753	42%	1,439	17%	
GILLNET	3	0%	8	0%	6	0%	17	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>SNE/ MID-ATLANTIC</b>	<b>1,547</b>	<b>92%</b>	<b>1,407</b>	<b>74%</b>	<b>1,046</b>	<b>58%</b>	<b>7,083</b>	<b>83%</b>	
OTTER TRAWL	1,547	92%	1,407	74%	1,046	58%	7,031	82%	
GILLNET	0	0%	0	0%	0	0%	0	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	51	1%	
<b>ALL AREAS</b>	<b>1,673</b>	<b>100%</b>	<b>1,901</b>	<b>100%</b>	<b>1,805</b>	<b>100%</b>	<b>8,539</b>	<b>100%</b>	
OTTER TRAWL	1,670	100%	1,893	100%	1,800	100%	8,470	99%	
GILLNET	3	0%	8	0%	6	0%	17	0%	
HOOK	0	0%	0	0%	0	0%	0	0%	
OTHER GEARS	0	0%	0	0%	0	0%	51	1%	
<b>LANDINGS - ALL AREAS</b>									
Fishing Year 2004/2005	1,673		1,901		1,805		8,539		
Fishing Year 2003/2004	1,973		1,199		2,640		7,810		17,259
Fishing Year 2002/2003	1,691		1,685		1,820		8,350		15,741
Fishing Year 2001/2002	2,788		3,225		2,449		13,892		24,585
Fishing Year 2000/2001	2,599		2,931		2,758		12,488		27,359
Fishing Year 1999/2000	2,588		3,015		2,309		13,865		29,045
Fishing Year 1998/1999	3,069		2,610		3,322		15,124		33,308

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake Stock Areas: Gulf of Maine: 464-465, 511-515, 521-522, 561  
Southern New England: 525-552, 611-639

2. Landings in live weight.
3. Gear data are based on vessel trip reports.
- \* Fishing Year is May 1 through April 30.

**Table 10.B. - Preliminary Silver Hake Landings by Major Ports and States, May 04 - Sep 04**

PORT/ STATE	MAY 04 - SEP 04	STOCK AREAS				GEAR TYPES							
		GULF OF MAINE		SOUTHERN NEW ENGLAND		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Gloucester, MA	245	216	88%	29	12%	229	94%	16	6%	0	0%	0	0%
Boston, MA	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
New Bedford, MA	3,259	620	19%	2,639	81%	3,207	98%	0	0%	0	0%	51	2%
Point Judith, RI	1,857	86	5%	1,771	95%	1,857	100%	0	0%	0	0%	0	0%
MAINE	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	118	118	100%	0	0%	117	99%	1	1%	0	0%	0	0%
MASSACHUSETTS	3,531	864	24%	2,667	76%	3,464	98%	16	0%	0	0%	51	1%
RHODE ISLAND	1,927	151	8%	1,776	92%	1,927	100%	0	0%	0	0%	0	0%
CONNECTICUT	1,207	323	27%	884	73%	1,207	100%	0	0%	0	0%	0	0%
NEW YORK	1,735	0	0%	1,735	100%	1,735	100%	0	0%	0	0%	0	0%
NEW JERSEY	21	0	0%	21	100%	20	99%	0	0%	0	0%	0	0%
OTHER NORTHEAST	0	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
<b>TOTAL</b>	<b>8,539</b>	<b>1,456</b>	<b>17%</b>	<b>7,083</b>	<b>83%</b>	<b>8,470</b>	<b>99%</b>	<b>17</b>	<b>0%</b>	<b>0</b>	<b>0%</b>	<b>51</b>	<b>1%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Silver Hake stock areas: Gulf of Maine: 464-465, 511-515, 521-522, 561  
Southern New England: 525-552, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 11.A. - Preliminary Monkfish Landings by Stock Area**

	JUL - 2004		AUG - 2004		SEP - 2004		MAY 04 - SEP 04		2004/2005*		2003/2004*		Fishing Year* Landings
									May04-Sep04 as a % of Target TAC	Target TAC	May03-Sep03 as a % of Target TAC	Target TAC	
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent		1000 Lbs		1000 Lbs	
<b>NORTHERN</b>	<b>2,011</b>	<b>70%</b>	<b>1,973</b>	<b>78%</b>	<b>2,014</b>	<b>84%</b>	<b>8,626</b>	<b>66%</b>	<b>23%</b>	<b>37,408</b>	<b>28%</b>	<b>39,039</b>	
OTTER TRAWL	1,098	38%	1,273	51%	1,301	54%	5,626	43%	15%		17%		
GILLNET	886	31%	693	28%	713	30%	2,939	23%	8%		9%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	28	1%	8	0%	0	0%	60	0%	0%		2%		
<b>SOUTHERN</b>	<b>843</b>	<b>30%</b>	<b>542</b>	<b>22%</b>	<b>392</b>	<b>16%</b>	<b>4,394</b>	<b>34%</b>	<b>29%</b>	<b>14,930</b>	<b>42%</b>	<b>22,511</b>	
OTTER TRAWL	385	13%	315	13%	241	10%	1,440	11%	10%		5%		
GILLNET	289	10%	75	3%	2	0%	2,193	17%	15%		31%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	169	6%	152	6%	149	6%	760	6%	5%		6%		
<b>ALL AREAS</b>	<b>2,855</b>	<b>100%</b>	<b>2,515</b>	<b>100%</b>	<b>2,406</b>	<b>100%</b>	<b>13,020</b>	<b>100%</b>	<b>25%</b>	<b>52,338</b>	<b>33%</b>	<b>61,551</b>	
OTTER TRAWL	1,483	52%	1,588	63%	1,541	64%	7,067	54%	14%		13%		
GILLNET	1,174	41%	768	31%	715	30%	5,132	39%	10%		17%		
HOOK	0	0%	0	0%	0	0%	0	0%	0%		0%		
OTHER GEARS	197	7%	160	6%	149	6%	820	6%	2%		3%		
<b>LANDINGS - ALL AREAS</b>													
Fishing Year 2004/2005	2,855		2,515		2,406		13,020						
Fishing Year 2003/2004	3,802		2,262		3,003		20,274						52,947
Fishing Year 2002/2003	3,284		3,047		3,360		17,775						48,077
Fishing Year 2001/2002	3,727		3,316		3,296		20,255						57,148
Fishing Year 2000/2001	2,897		2,818		2,858		16,131						43,694
Fishing Year 1999/2000	3,208		3,108		2,586		22,622						52,979
Fishing Year 1998/1999	4,006		3,323		3,607		24,333						59,487

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish Stock Areas: Northern: 464-465, 467, 511-515, 521-522, 561-562  
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is May 1 through April 30.

**Table 11.B. - Preliminary Monkfish Landings by Major Ports and States, May 04 - Sep 04**

PORT/ STATE	MAY 04 - SEP 04	STOCK AREAS				GEAR TYPES							
		NORTHERN		SOUTHERN		OTTER TRAWL		GILLNET		HOOK		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
Portland, ME	2,547	2,502	98%	45	2%	2,282	90%	265	10%	0	0%	0	0%
Gloucester, MA	2,103	2,063	98%	41	2%	641	30%	1,462	70%	0	0%	0	0%
Boston, MA	795	719	90%	76	10%	795	100%	0	0%	0	0%	0	0%
New Bedford, MA	3,174	1,316	41%	1,858	59%	2,209	70%	337	11%	0	0%	628	20%
Point Judith, RI	559	75	13%	484	87%	181	32%	371	66%	0	0%	7	1%
MAINE	3,177	3,127	98%	50	2%	2,770	87%	406	13%	0	0%	0	0%
NEW HAMPSHIRE	482	479	99%	3	1%	55	11%	428	89%	0	0%	0	0%
MASSACHUSETTS	7,138	4,929	69%	2,209	31%	3,893	55%	2,605	36%	0	0%	640	9%
RHODE ISLAND	712	86	12%	626	88%	195	27%	510	72%	0	0%	7	1%
CONNECTICUT	149	1	1%	148	99%	12	8%	103	69%	0	0%	34	23%
NEW YORK	366	2	1%	364	99%	64	17%	301	82%	0	0%	1	0%
NEW JERSEY	659	0	0%	659	100%	40	6%	528	80%	0	0%	91	14%
OTHER NORTHEAST	336	0	0%	336	100%	39	12%	250	74%	0	0%	47	14%
<b>TOTAL</b>	<b>13,020</b>	<b>8,626</b>	<b>66%</b>	<b>4,394</b>	<b>34%</b>	<b>7,067</b>	<b>54%</b>	<b>5,132</b>	<b>39%</b>	<b>0</b>	<b>0%</b>	<b>820</b>	<b>6%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Monkfish stock areas: Northern: 464-465, 467, 511-515, 521-522, 561-562  
Southern: 525-526, 533-534, 537-539, 541-543, 611-639

2. Landings in live weight.

3. Gear data are based on vessel trip reports.

**Table 12.A. - Preliminary Sea Scallop Landings by Stock Area**

	JUL - 2004		AUG - 2004		SEP - 2004		MAR 04 - SEP 04		Fishing Year* Landings
	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs
<b>GULF OF MAINE</b>	<b>13</b>	<b>0%</b>	<b>14</b>	<b>0%</b>	<b>11</b>	<b>0%</b>	<b>322</b>	<b>1%</b>	
OTTER TRAWL	0	0%	0	0%	0	0%	10	0%	
DREDGE	12	0%	13	0%	10	0%	308	1%	
OTHER GEARS	0	0%	0	0%	0	0%	3	0%	
<b>SOUTH CHANNEL</b>	<b>317</b>	<b>4%</b>	<b>256</b>	<b>4%</b>	<b>280</b>	<b>5%</b>	<b>1,793</b>	<b>4%</b>	
OTTER TRAWL	3	0%	1	0%	3	0%	12	0%	
DREDGE	314	4%	255	4%	277	5%	1,781	4%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>GEORGES BANK NORTH</b>	<b>191</b>	<b>3%</b>	<b>86</b>	<b>1%</b>	<b>33</b>	<b>1%</b>	<b>481</b>	<b>1%</b>	
OTTER TRAWL	28	0%	19	0%	6	0%	88	0%	
DREDGE	163	2%	66	1%	27	0%	394	1%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>GEORGES BANK SOUTH</b>	<b>70</b>	<b>1%</b>	<b>194</b>	<b>3%</b>	<b>236</b>	<b>4%</b>	<b>621</b>	<b>1%</b>	
OTTER TRAWL	0	0%	0	0%	0	0%	2	0%	
DREDGE	70	1%	194	3%	236	4%	619	1%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>S. NEW ENGLAND</b>	<b>28</b>	<b>0%</b>	<b>79</b>	<b>1%</b>	<b>40</b>	<b>1%</b>	<b>181</b>	<b>0%</b>	
OTTER TRAWL	1	0%	0	0%	1	0%	13	0%	
DREDGE	27	0%	79	1%	40	1%	167	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>NEW YORK BIGHT</b>	<b>2,687</b>	<b>38%</b>	<b>2,468</b>	<b>35%</b>	<b>1,965</b>	<b>35%</b>	<b>19,158</b>	<b>39%</b>	
OTTER TRAWL	103	1%	57	1%	81	1%	346	1%	
DREDGE	2,584	37%	2,411	34%	1,881	33%	18,809	38%	
OTHER GEARS	0	0%	0	0%	3	0%	3	0%	
<b>DE / MD / VA</b>	<b>3,732</b>	<b>53%</b>	<b>3,980</b>	<b>56%</b>	<b>3,015</b>	<b>54%</b>	<b>26,083</b>	<b>53%</b>	
OTTER TRAWL	457	6%	942	13%	381	7%	3,525	7%	
DREDGE	3,250	46%	3,015	43%	2,634	47%	22,509	46%	
OTHER GEARS	25	0%	24	0%	0	0%	49	0%	
<b>VA / NC</b>	<b>23</b>	<b>0%</b>	<b>5</b>	<b>0%</b>	<b>35</b>	<b>1%</b>	<b>304</b>	<b>1%</b>	
OTTER TRAWL	23	0%	5	0%	0	0%	73	0%	
DREDGE	0	0%	0	0%	35	1%	231	0%	
OTHER GEARS	0	0%	0	0%	0	0%	0	0%	
<b>ALL AREAS</b>	<b>7,061</b>	<b>100%</b>	<b>7,081</b>	<b>100%</b>	<b>5,616</b>	<b>100%</b>	<b>48,943</b>	<b>100%</b>	
OTTER TRAWL	615	9%	1,024	14%	473	8%	4,070	8%	
DREDGE	6,421	91%	6,033	85%	5,141	92%	44,818	92%	
OTHER GEARS	26	0%	24	0%	3	0%	56	0%	
<b>LANDINGS - ALL AREAS</b>									
Fishing Year 2004/2005	7,061		7,081		5,616		48,943		56,212
Fishing Year 2003/2004	7,118		5,833		3,831		40,278		51,734
Fishing Year 2002/2003	6,110		6,298		4,700		38,816		47,506
Fishing Year 2001/2002	5,910		4,511		3,799		33,712		34,309
Fishing Year 2000/2001	3,830		3,645		2,679		24,338		22,563
Fishing Year 1999/2000	3,111		2,374		1,098		16,190		

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Sea Scallop Stock Areas: Gulf of Maine: 511-515; South Channel: 521-522, 526  
 Georges Bank North: 561-562; Georges Bank South: 525  
 Southern New England: 537-539; New York Bight: 611-616  
 DE / MD / VA: 621-623, 625-627; VA / NC: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

\* Fishing Year is March 1 through February 29.

**Table 12.B. - Preliminary Scallop Landings by Major Ports and States, Mar 04 - Sep 04**

PORT/ STATE	MAR 04 - SEP 04	STOCK AREAS															
		GULF OF MAINE		SOUTH CHANNEL		GEORGES BANK NORTH		GEORGES BANK SOUTH		SOUTHERN NEW ENGLAND		NEW YORK BIGHT		DELMARVA		VIRGINIA / NORTH CAROLINA	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	18,067	18	0%	928	5%	474	3%	621	3%	18	0%	11,791	65%	4,191	23%	25	0%
Cape May, NJ	7,479	0	0%	6	0%	0	0%	0	0%	0	0%	1,758	24%	5,650	76%	64	1%
Norfolk, VA	13,921	0	0%	0	0%	0	0%	0	0%	0	0%	2,021	15%	11,770	85%	130	1%
MAINE	3	0	0%	0	0%	3	94%	0	0%	0	0%	0	0%	0	0%	0	0%
NEW HAMPSHIRE	1	1	81%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%	0	0%
MASSACHUSETTS	19,312	320	2%	1,786	9%	477	2%	621	3%	35	0%	11,824	61%	4,223	22%	25	0%
RHODE ISLAND	62	0	0%	0	0%	1	0%	0	0%	20	32%	38	61%	3	5%	0	0%
CONNECTICUT	1,294	0	0%	0	0%	0	0%	0	0%	90	7%	1,113	86%	91	7%	0	0%
NEW JERSEY	10,808	0	0%	6	0%	0	0%	0	0%	0	0%	3,954	37%	6,771	63%	76	1%
VIRGINIA	17,190	0	0%	0	0%	0	0%	0	0%	0	0%	2,085	12%	14,903	87%	202	1%
OTHER NORTHEAST	273	0	0%	0	0%	0	0%	0	0%	36	13%	145	53%	92	34%	0	0%
<b>TOTAL</b>	<b>48,943</b>	<b>322</b>	<b>1%</b>	<b>1,793</b>	<b>4%</b>	<b>481</b>	<b>1%</b>	<b>621</b>	<b>1%</b>	<b>181</b>	<b>0%</b>	<b>19,158</b>	<b>39%</b>	<b>26,083</b>	<b>53%</b>	<b>304</b>	<b>1%</b>

PORT/ STATE	MAR 04 - SEP 04	GEAR TYPES					
		OTTER TRAWL		DREDGE		OTHER GEARS	
		1000 Lbs	Percent	1000 Lbs	Percent	1000 Lbs	Percent
New Bedford, MA	18,067	117	1%	17,948	99%	2	0%
Cape May, NJ	7,479	1,130	15%	6,349	85%	0	0%
Norfolk, VA	13,921	1,320	9%	12,552	90%	49	0%
MAINE	3	3	94%	0	0%	0	0%
NEW HAMPSHIRE	1	0	0%	1	75%	0	0%
MASSACHUSETTS	19,312	148	1%	19,159	99%	5	0%
RHODE ISLAND	62	2	3%	60	97%	0	0%
CONNECTICUT	1,294	0	0%	1,294	100%	0	0%
NEW JERSEY	10,808	1,144	11%	9,663	89%	1	0%
VIRGINIA	17,190	2,699	16%	14,443	84%	49	0%
OTHER NORTHEAST	273	74	27%	198	73%	0	0%
<b>TOTAL</b>	<b>48,943</b>	<b>4,070</b>	<b>8%</b>	<b>44,818</b>	<b>92%</b>	<b>56</b>	<b>0%</b>

1. The three digit statistical areas defined below are for statistical and management purposes and may not be consistent with stock area delineation used for biological assessment (see the attached statistical chart).

Scallop stock areas: Gulf of Maine: 511-515, South Channel: 521-522, 526, Georges Bank North: 561-562, Georges Bank South: 525, Southern New England: 537-539, New York Bight: 611-616, Delmarva: 621-623, 625-627, Virginia/North Carolina: 631-638

2. Landings in meat weight.

3. Gear data are based on vessel trip reports.

